Fabric Data Pipeline Conditional Paths & Outcomes

1) <u>Subsequent Activity with conditional path : Upon on</u> <u>Success</u>

a) If initial activity and subsequent activity is success

Lookup	0	Wait	•	
Act_1		Wait		
Parameters Variables Setting	gs Output			
Pipeline run ID: 9f974e70-481b-4d	19-8621-e2b7975	f1381 🞯 💍 🕡		
Name	Туре	Run start	Duration	Status
Name Wait	Type Wait	Run start 2021-08-16T10:01:17.024	Duration 00:00:02	Status

Pipeline Outcome: Success

b) If initial activity is success and subsequent activity is failure

rameters Variables	Settings Output			
peline run ID: 3c1e1bdd	-6f81-468a-aed8-f11e003d8d	d6 @ 🖒 🕕		
Name	Туре	Run start	Duration	Status
Act_2	Lookup	2021-08-18T04:30:14.518	00:00:05	😣 Failed
Pipeline Outcor	ne Failure			
	ne. <mark>randre</mark>			
c) If initial activ				
		Cookup		
	vity is failure		Act_2	
	vity is failure			
	vity is failure			
c) If initial activ	vity is failure			
c) If initial activ	vity is failure			
c) If initial activ	vity is failure			
c) If initial activ	vity is failure			Status

2) <u>Subsequent Activity with conditional path : Upon on</u> <u>Failure</u>

a) If initial activity is Success

		Lookup	٥	Wait		
Parameters	Variables	Settings	Output			
Pipeline run I	D: 5d23f9bd-	-fd52-40f4-b	771-9ed36d9e	e34bb @) ()		
Name			Туре	Run start	Duration	Status
Act_1			Lookup	2021-08-16T10:45:04.262	00:00:04	Succeeded

Pipeline Outcome: Success

b) If initial activity is failure and subsequent activity is success

	Lookup Ac	t_1	⊘ _1	
Parameters Variables Sett Pipeline run ID: 1129d663-066f-	ings Output		-	
Name	Туре	Run start	Duration	Status
Wait_1	Wait	2021-08-18T04:11:59.569	00:00:02	Succeeded

Pipeline Outcome: Success

The above case is TRY-CATCH block :

- when Act_1 activity succeeds: the node activity, Upon Failure, is skipped and its parent node succeeds, so overall pipeline succeeds
- when Act_1 activity fails: the node activity, Upon Failure, enacted and overall pipeline succeeds if Upon Failure path succeeds
- c) If initial activity is failure and subsequent activity is failure

			Lookup Act_1	Cookup	8	
arameters	Variables	Settings	Output			
				2		
ipeline run I Name	D: 042985e6		9588-6b1b817 2 Туре	2366d @ 🕐 🕕	Duration	Status
	D: 042985e6				Duration 00:00:03	Status 😵 Failed

3) <u>Subsequent Activity with conditional path : Upon on</u> <u>Completion</u>

a) If initial activity is Success and Subsequent activity is Success

		Lookup Act_1	0	Wait	0	
Parameters Pipeline run I	Variables D: 1d5535ab	Settings -65fc-4cdc-90	Output	97029 @] (*)	0	
Name			Туре	Run start	Duration	Status
Wait_1			Wait	2021-08-16T10:4	8:55.299 00:00:02	Succeeded
Act_1		2	Lookup	2021-08-16T10:4	8:51.940 00:00:03	Succeeded

Pipeline Outcome: Success

b) If initial activity is failure and subsequent activity is success

	Lookup	8	Wait	•	
arameters Variables	Settings	Output			
ipeline run ID: e224268a	a-d4a7-45c2-b5	12-d70c3258	30e93 @] 🕐 🛈		
ipeline run ID: e224268a Name		12-d70c3258 /pe	Run start	Duration	Status
	Ту			Duration 00:00:02	Status

Pipeline Outcome: Success

c) If initial activity is failure and subsequent activity is failure

			Lookup Act_1	Act_2	8	
Parameters Pipeline run	Variables ID: 3932026a -	Settings - 49be-4d47- a	Output	 Ib790 @		
Name			Туре	Run start	Duration	Status
Act_2			Lookup	2021-08-18T04:43:06.109	00:00:14	😣 Failed

Pipeline Outcome: Failure

d) If initial activity is Success and subsequent activity is failure



Parameters	Variables	Settings	Output							
Pipeline run II	Pipeline run ID: 6b1312c3-0334-4c2e-a189-a67cf838033a @ 🕐 🛈									
Name		1	Гуре	Run start	Duration	Status				
Act_2			Lookup	2021-08-18T05:16:38.817	00:00:13	😣 Failed				
Act_1			Lookup	2021-08-18T05:16:35.351	00:00:03	Succeeded				

4) <u>Subsequent Activities with conditional paths : Upon on</u> <u>Success and Upon on Failure</u>

a) If initial activity and subsequent activity (Upon on Success) is success
 Note: subsequent activity (Upon on Failure) is skipped as initial activity is
 Success

	Lookup	Wait Wait Wait Wait_2		
			<u>_</u>	
Parameters Variab	les Settings Output			
	<u> </u>		Duration	Status
Pipeline run ID: 5ad7	bf6d-da79-474a-b6a6-73a5	8a97b057 [@] 💍 🕕		Status

Pipeline Outcome: Success

The above case is DO-IF-ELSE block :

- when Act_1 activity succeeds: one node activity, Upon Success, succeeded, and the other node activity, Upon Failure, is skipped and its parent node succeeds; so overall pipeline succeeds
- when Act_1 activity fails: one node activity, Upon Success, is skipped and its parent node failed; so overall pipeline failed
- b) If initial activity is failure and subsequent activity (Upon on Failure) is success

Note: subsequent activity (Upon on Success) is skipped as initial activity is Failure

		Lookup	0	Wait Wait_1 Wait Wait_2	0	
rameters	Variables	Settings	Output	_		
eline run ID): 7e6e78e1-	63bd-45a6-9	9e54-f6c0abc8a	e43 [@] 🖒 i		
Name			Туре	Run start	Duration	Status
Wait_2			Wait	2021-08-16T10:18:28.310	00:00:02	Succeeded
						😣 Failed

Pipeline Outcome: Failure

c) If initial activity is Failure and subsequent activity (Upon on Failure) is Failure

Note: subsequent activity (Upon on Success) is skipped as initial activity is Failure



Parameters Variables Settings Output

```
\bigcirc
Pipeline run ID: 1ed6134a-55cb-4974-9077-7afef98a0ade [@]
                                                                   ()
```

Name	Туре	Run start	Duration	Status
Act_2	Lookup	2021-08-18T04:51:43.029	00:00:04	😣 Failed
Act_1	Lookup	2021-08-18T04:51:29.007	00:00:14	😣 Failed

Pipeline Outcome: Failure

d) If initial activity is Success and subsequent activity (Upon on Success) is Failure

Note: subsequent activity (Upon on Failure) is skipped as initial activity is Success

	Lookup Act_1	Lookup Act_2 Lookup Act_3	8	
Parameters Variables Set	ings Output			
Pipeline run ID: 35e02a95-5898	462e-add0-e8916c8	777d6 @) 🚺 i		
Name	Туре	Run start	Duration	Status
Act_2	Lookup	2021-08-18T05:22:00.061	00:00:04	😣 Failed
Act_1	Lookup	2021-08-18T05:21:55.818	00:00:03	Succeeded

Pipeline Outcome: Failure

e) For Pipeline to be successful in case of # c), follow DO-IF-ELSE-SKIP scenario.

We can add a dummy activity which would be success on Skipping of True block activity.

		(X) Act_2	2	Act_4	
	Fail	Set variable	O		
	Act_1	\mathbf{x} (\mathcal{X}) Act_3			
arameters Variables s	Ccd5-49e3-88cd-86d4d1df	fe7bb 🙉 💍 🛈		Pipeline status	Succeeded
		fe7bb @ 💍 🛈		Pipeline status	Succeeded
peline run ID: 3cc12253-		fe7bb 🗐 💍 🛈		Pipeline status	Succeeded
peline run ID: 3cc12253- All status \vee		fe7bb @ Č ① Activity type ↑↓	Run start ी↓	Pipeline status	Succeeded
peline run ID: 3cc12253- All status ~ Showing 1 - 3 of 3 items	ccd5-49e3-88cd-86d4d1df		Run start ↑↓ 2/17/2024, 6:50:12 PM	Duration ↑↓	
peline run ID: 3cc12253- All status ← Showing 1 - 3 of 3 items Activity name ↑↓	ccd5-49e3-88cd-86d4d1dl Activity status ↑↓	Activity type ↑↓		Duration 14 2s	

5) <u>Subsequent Activities with conditional paths : Upon on</u> <u>Success and Upon on Completion</u>

a) If initial activity and subsequent activity (Upon on Success) is success and subsequent activity (Upon on Completion) is success.

Parameters Variables Setting	s Output	Wait	♥ it_1 vit_2	
Pipeline run ID: 8eabe18a-55c4-440	b-ab8b-206de34cc	da68 @ 🖒 🕡		
Name	Туре	Run start	Duration	Status
Wait_1	Wait	2021-08-18T04:07:39.332	00:00:02	Succeeded
Wait_2	Wait	2021-08-18T04:07:39.317	00:00:02	Succeeded
Act_1	Lookup	2021-08-18T04:07:35.213	00:00:04	Succeeded

Pipeline Outcome: Success

b) If initial activity is failure and subsequent activity (Upon on Completion) is success

Note: subsequent activity (Upon on Success) is skipped as initial activity is Failure

	Lookup Ad	ct_1	ait_1	
Parameters Variables Sett	ings Output			
Pipeline run ID: 18fed6b5-9731-4	4e2e-950c-1e36151	2796a @ 💍 🕕		
Name	Туре	Run start	Duration	Status
Wait_2	Wait	2021-08-18T04:09:28.949	00:00:02	Succeeded
Act_1	Lookup	2021-08-18T04:09:23.774	00:00:05	😣 Failed

c) If initial activity is Failure and subsequent activity (Upon on Completion) is Failure


Note: subsequent activity (Upon on Success) is skipped as initial activity is Failure

	Lookup Act_1	Wait Wait_1	8	
Parameters Variables Setting	s Output			
Pipeline run ID: 59e97eba-b21f-4f9	e-a7ea-a258e9f92	21f5 @ 🕐 🕔		
Name	Туре	Run start	Duration	Status
Act_2	Lookup	2021-08-18T04:16:53.140	00:00:05	😣 Failed
Act_1	Lookup	2021-08-18T04:16:47.442	00:00:05	😣 Failed

Pipeline Outcome: Failure


 d) If initial activity is Success and {subsequent activity (Upon on Completion) OR/AND subsequent activity (Upon on Success) } is Failure

	Lookup Act_1	Wait Wait_1	8	
² arameters Variables Settings	Output			
Pipeline run ID: 00cafa6b-ce88-4f7a-9)5ad-5dba7d5108	38 @] ()		
Name	Туре	Run start	Duration	Status
Act_2	Lookup	2021-08-18T05:03:15.127	00:00:04	😣 Failed
Wait_1	Wait	2021-08-18T05:03:15.080	00:00:02	Succeeded
Act_1	Lookup	2021-08-18T05:03:11.134	00:00:03	Succeeded



Pipeline run ID: df10b5ed-8cda-43b4-914d-916abab574d7 @ 🕐 🕕

Name	Туре	Run start	Duration	Status
Act_3	Lookup	2021-08-18T05:26:39.417	00:00:03	Succeeded
Act_2	Lookup	2021-08-18T05:26:39.370	00:00:05	😣 Failed
Act_1	Lookup	2021-08-18T05:26:35.432	00:00:04	Succeeded



Parameters Variables Settings Output

Pipeline run ID: 94952a4c-cc9d-42f2-8ed9-e6a1d6780428 [@] \bigcirc (i) Name Туре Run start Duration Status 😣 Failed Act_3 Lookup 2021-08-18T05:04:38.969 00:00:06 Act_2 Lookup 2021-08-18T05:04:38.969 😣 Failed 00:00:04 Succeeded Lookup Act_1 2021-08-18T05:04:34.202 00:00:04

6) <u>Subsequent Activity with conditional path : Upon on</u> <u>Skipped</u>

a) If initial activity is Success
 Note: subsequent activity (Upon on Skipped) is skipped as initial activity is Success

		Lookup Act_1	0	Act_2		
Parameters	Variables	Settings	Output			
Pipeline run l	D: f1173070 -	fbb6-496c-9	0a0-0dd20561	e0ce [@] 🕐 🕕		
Name			Туре	Run start	Duration	Status
Act_1			Lookup	2021-08-18T05:36:54.163	00:00:04	Succeeded

Pipeline Outcome: Success

b) If initial activity is Failure

Note: subsequent activity (Upon on Skipped) is skipped as initial activity is Failure

		Act_1		Act_2	I	
arameters	Variables	Settings	Output			
ipeline run	D: 5b8ef067	-c655-41f1-9	5df-13ec5b77e	db0 @] 🖒 🗊		
ipeline run Name	ID: 5b8ef067-		5 df-13ec5b77e Type	db0 @ 🕐 🕡 Run start	Duration	Status

c) If initial activity is Skipped **and** subsequent activity (Upon on Skipped) is Success

	Wait Vait_1	Lookup	Lookup Act_2	0	
Para	meters Variables Settings	Output			
Pipe	line run ID: 54586c23-763a-4752	-8e5d-7a929ee7eb	() () (D) (D)		
	Name	Туре	Run start	Duration	Status
	Act_2	Lookup	2021-08-18T05:45:23.133	00:00:10	Succeeded
	Wait_1	Wait	2021-08-18T05:45:21.059	00:00:02	Succeeded

Pipeline Outcome: Success

d) If initial activity is Skipped **and** subsequent activity (Upon on Skipped) is Failure

Wait Vait_1	Lookup	Lookup Act_2	8	
Parameters Variables Settings	Output			
Pipeline run ID: eebe642a-907e-44de	-9001-f0e6787ae7	de (@) ()		
Name	Туре	Run start	Duration	Status
Act_2	Lookup	2021-08-18T05:46:51.692	00:00:04	😣 Failed
Wait_1	Wait	2021-08-18T05:46:49.633	00:00:02	Succeeded

7) <u>Retry Attempt in Activity</u>

a) If Retry attempt is 'N' and activity fails 'N-1' times and is Success on Nth attempt

Pipeline Outcome: Success

b) If Retry attempt is 'N' and activity fails 'N' times